



Sunbean Logistic.

Types of Containers.



Sunbean Logistic.

Sunbean Logistic is a Mexican Company with vision the International Dedicated to participate actively like integral part to the necessities of logistic and transports for the import and exporting companies.

We collaborated widely with our clients to facilitate the handling of the operations and international trade to them, working with Efficiency, Punctuality and Quality, obtaining this way the delivery of the product in time and forms.

In Sunbean Logistic we are it jeopardize with the service the client, assuming who the relation between clients and suppliers must of being transparent, reason why our personnel always is in communication and with real information on status of the merchandise.

We counted on personnel described in the different inherent areas from our activities; Customs office, Aerial, Marine, Terrestrial Transport, as well as an ample network of agents in the main cities of the world.




Know more thorough the services of Sunbean Logistic and will confirm that it is possible a logistic service of and transport that is adapted to the circumstances that global dynamics demands, optimizing and satisfying the necessities with the clients, without it means a great investment.

“Sunbean Logistic, its agent of professional and Reliable load”






Type of Containers.

Common Containers or Dryvan.

20 Feet Standard 20' x 8' x 8'6"			Description.	Picture.
Tara	2300 kg/5070 lb		Available for any normal dry load. Examples: bags, pallets, boxes, drums, etc.	
Max. Load	28180 kg/62130 lb			
Max. P. B.	30480 kg/67200 lb			
Measures	Internal	Opening Door		
Length:	5898 mm / 19'4"	-		
Wide:	2352 mm / 7'9"	2340 mm / 7'8"		
Height:	2393 mm / 7'10"	2280 mm / 7'6"		
Cub. Capacity	33,2 m3 / 1172 ft3			
40 Feet Standard 20' x 8' x 8'6"			Description.	Picture.
Tara	3750 kg / 8265 lb		Available for any normal dry load. Examples: bags, pallets, boxes, drums, etc	
Max. Load	28750 kg / 63385 lb			
Max. P. B.	32500 kg / 71650 lb			
Measures	Internal	Opening Door		
Length:	12032 mm / 39'6"	-		
Wide:	2352 mm / 7'9"	2340 mm / 7'8"		
Height:	2393 mm / 7'10"	2280 mm / 7'6"		
Cub. Capacity	67,7 m3 / 2390 ft3			
40 Feet High Cube 40' x 8' x 9'6"			Description.	Picture.
Tara	3940 kg / 8685 lb		Special for voluminous loads. Example: tobacco, coal.	
Max. Load	28560 kg / 62965 lb			
Max. P. B.	32500 kg / 71650 lb			
Measures	Internal	Opening Door		
Length:	12032 mm / 39'6"	-		
Wide:	2352 mm / 7'9"	2340 mm / 7'8"		
Height:	2698 mm / 8'10"	2585 mm / 8'6"		
Cub. Capacity	76,4 m3 / 2700 ft3			






Integral Cooled Container or Reefer.

20 Feet Standard 20' x 8' x 8'6"			Description.	Picture.
Tara	3080 kg / 6790 lb		With own equipment of cold generation. Designed for the load transport that requires constant temperatures on below zero. Example: meat, fish, fruits, etc.	
Max. Load	27400 kg / 60410 lb			
Max. P. B.	30480 kg / 67200 lb			
Measures	Internal	Opening Door		
Length:	5444 mm / 17'10"	-		
Wide:	2268 mm / 7'5"	2276 mm / 7'5"		
Height:	2272 mm / 7'5"	2261 mm / 7'5"		
Cub. Capacity	28,1 m3 / 992 ft3			
40 Feet 40' x 8' x 8'6"			Description.	Picture.
Tara	4800 kg / 10580 lb		With own equipment of cold generation. Designed for the load transport that requires constant temperatures on below zero. Example: meat, fish, fruits, etc.	
Max. Load	27700 kg / 61070 lb			
Max. P. B.	32500 kg / 71650 lb			
Measures	Internal	Opening Door		
Length:	11561 mm / 37'11"	-		
Wide:	2280 mm / 7'5"	2280 mm / 7'5"		
Height:	2249 mm / 7'5"	2205 mm / 7'3"		
Cub. Capacity	59,3 m3 / 2075 ft3			
40 Feet High Cube 40' x 8' x 9'6"			Description.	Picture.
Tara	4850 kg / 10690 lb			
Max. Load	29150 kg / 64270 lb			
Max. P. B.	34000 kg / 74960 lb			
Measures	Internal	Opening Door		
Length:	11561 mm / 37'11"	-		
Wide:	2268 mm / 7'5"	2276 mm / 7'5"		
Height:	2553 mm / 8'4"	2501 mm / 8'2"		
Cub. Capacity	4850 kg / 10690 lb 29150 kg / 64270 lb 34000 kg / 74960 lb			






Insulated Container Phortole or Conair.

20 Feet Reefer Conair 20' x 8' x 8'			Description.	Picture.
Tara	2650 kg / 5840 lb		Without generating equipment of cold. Prepared for the load transport that requires constant temperatures. Example: apples, fruits, etc.	
Max. Load	21350 kg / 47070 lb			
Max. P. B.	24000 kg / 52910 lb			
Measures	Internal	Opening Door		
Length:	5750 mm / 18'10"	-		
Wide:	2260 mm / 7'5"	2271 mm / 7'5"		
Height:	2110 mm / 6'11"	2085 mm / 6'10"		
Capacidad Cub.	27,4 m3 / 970 ft3			
20 Feet Reefer Conair 20' x 8' x 8'6"			Description.	Picture.
Tara	2780 kg / 6130 lb		Without generating equipment of cold. Prepared for the load transport that requires constant temperatures. Example: apples, fruits, etc.	
Max. Load	24220 kg / 61070 lb			
Max. P. B.	27000 kg / 67200 lb			
Measures	Internal	Opening Door		
Length:	5444 mm / 17'10"	-		
Wide:	2300 mm / 7'6"	2300 mm / 7'6"		
Height:	2250 mm / 7'5"	2215 mm / 7'4"		
Cub. Capacity	29,8 m3 / 1052 ft3			
Auxiliary Equipment type Clip On Apt for Containers type Conair 20' y 40'			Description.	Picture.
220/240 V. 50/60 Hz, 3 - phase With this auxiliary equipment the cold one can be maintained during the transport of door to door				



Another Type of Containers.

Open top 20 Feet Open top 20' x 8' x 8'6"			Description.	Picture.
Tara Max. Load Max. P. B.	2360 kg / 5200 lb 28120 kg / 62000 lb 30480 kg / 67200 lb		They present a removable canvas ceiling, specially designed for transport of heavy loads or extra dimensions. They allow to the load and superior unloading. Examples: heavy machineries, marble plates, etc.	
Measures Length: Wide: Height:	Internal 5889 mm / 19'4" 2345 mm / 7'9" 2346 mm / 7'9"	Opening Door - 2300 mm / 7'8" 2215 mm / 7'6"		
Cub. Capacity	32,4 m3 / 1144 ft3	Opening Ceiling. Largo: 5492 mm / 18' Ancho: 2184 mm / 7'3"		
Open top 40 Feet Open top 40' x 8' x 8'6"			Description.	Picture.
Tara Max. Load Max. P. B.	2360 kg / 5200 lb 30140 kg / 66750 lb 32500 kg / 71650 lb		They present/display the removable canvas ceiling, specially designed for transport of heavy loads or extra dimensions. They allow to the load and superior unloading. Examples: heavy machineries, marble plates, etc.	
Measures Length: Wide: Height:	Internal 12024 mm / 39'6" 2352 mm / 7'9" 2324 mm / 7'7"	Opening Door. - 2340 mm / 7'8" 2244 mm / 7'6"		
Cub. Capacity	65,7 m3 / 2320 ft3	Opening Ceiling. Largo: 11874 mm / 38'11" Ancho: 2184 mm / 7'3"		
Flatrack nonfolding fixed type 20 y 40' Feet Flatrack 20' / 40' x 8' x 8'6"			Description.	Picture.
Tara Max. Load Max. P. B.	20' flat	40' flat	With fixed or folding terminals, without lateral. Designed for the transport of garga of great dimensions. Example: machineries, etc.	
Measures Length: Wide: Height:	4030 kg / 8880 lb 28470 kg / 62770 lb 32500 kg / 71650 lb	5000 kg / 8880 lb 40000 kg / 90300 lb 45000 kg / 99180 lb		
Cub. Capacity	Internal: 5940 mm / 19'6" 2345 mm / 7'8" 2346 mm / 7'8"	Internal: 12132 mm / 39'9" 2400 mm / 7'10" 2135 mm / 7'.		
Grainy Container of 20'			Description.	Picture.



		<p>With superior takings and unloading by precipitation. Had specially, they allow the grain transport. Example: Malta, seeds, etc.</p>	
<p>Tank Container of 20' y 40'</p>		<p>Descripción.</p>	<p>Imagen.</p>
		<p>Multiple applications and designs of these containers exist. There are them had for the corrosive chemical agent transport, or for the load of oils and wines. There is availability of equipment with heating for other special-purpose charges.</p>	
<p>Platform Container of 20' y 40'</p>		<p>Description</p>	<p>Picture.</p>
		<p>Designed for the transport of load of great dimensions or extra weight. Example: rolling machinery, etc.</p>	